

# bizhub PRO C754e DATASHEET

- Colour SRA3 device

Competitive prices and a good product mix are essential factors for survival in today's markets. In the corporate world, this means a combination of a wide range of products, reliable technology and cost-effective calculation. The bizhub PRO C754e is the answer to these challenges, offering a good mix of features, technologies and investment to drive a successful business.



## **YOUR ADVANTAGES WITH**

### THE bizhub PRO C754e **HIGHEST RELIABILITY** Long-lasting parts and consumables Auto Refining Developer System (ARDS) For prints with maximum efficiency For lucrative short-run printing **DURABLE PERFORMANCE** Up to 60 A4 colour pages per minute Up to 30 A3 colour pages per minute Enhanced overall scanning performance for scanning and copying For excellent productivity Flexibility in the print room **READY MADE PRINT PRODUCTS** 20-sheet booklet making 100-sheet stapling For high automation and consistent productivity For more profit in the print room **GEARED UP FINISHING** Letter fold-in Stacking up to 3,000 sheets Optional 2- & 4-hole punching Minimum operator intervention For optimised budgets **ENVIRONMENT AWARENESS** Low power consumption Contains recycled plastic and For reduced environmental impact Improved efficiency based on green



### Configuration options



#### Technical specifications

#### SYSTEM SPECIFICATIONS

Resolution	1,800 x 600 dpi x 6 bit (equivalent)
	1,200 x 1,200 dpi x 1 bit
Paper weight	52-300 gsm
Duplex unit	Non-stack type; 64-256 gsm
Paper sizes	A6-SRA3; customised paper sizes;
	banner paper max. 1,200 x 297 mm
Maximum image area	307 x 437 mm (SRA3); 302 x 448 mm (A3+)
Paper input capacity	Standard: 3,650 sheets
	Max.: 6,650 sheets
Paper output capacity	Max.: 3,200 sheets
Main unit dimensions (W x D x H)	650 x 799 x 1,155 mm
Main unit weight	221 kg

#### **PRODUCTIVITY**

A4 Colour - max. per minute	60 ppm
A3 Colour - max. per minute	30 ppm
A4 Mono - max. per minute	75 ppm
A3 Mono - max. per minute	37 ppm

#### CONTROLLER

**Internal EFI Fiery Controller** IC-414

SCANNER SPECIFICATIONS	
Scan speed A4	Up to 180 ipm; one pass duplex scanning
Scan resolution	600 x 600 dpi
Scan modes	Scan-to-eMail (Scan-to-Me)
	Scan-to-SMB (Scan-to-Home)
	Scan-to-FTP
	Scan-to-Box
	Scan-to-USB
	Scan-to-WebDAV
	Scan-to-DPWS
	Network TWAIN scan
Scan formats	JPEG; TIFF; PDF; PDF/A 1a and 1b (optional);
	compact PDF; encrypted PDF;
	searchable PDF (optional); XPS;
	compact XPS;
	PPTX; searchable PPTX (optional);
	searchable DOCX/XLSX (optional)

#### **COPIER SPECIFICATIONS**

Gradations	256 gradations
FCOT (mono/colour)	3.6/5.3 seconds
Magnification	25-400%, in 0.1% steps
Mutliple copies	1-9,999

#### **ACCESSORIES**

. 10 0 2 0 0 0 1 11 2 0	
Large capacity tray A4	LU-301
Large capacity tray A3+	LU-204
Staple finisher	FS-534
Punch kit for FS-534	PK-520
Saddle kit for FS-534	SD-511
Staple finisher	FS-535
Punch kit for FS-535	PK-521
Saddle kit for FS-535	SD-512
Post inserter for FS-535	PI-505
Job separator for FS-535	JS-602
	** **=
Z-fold unit for FS-535	ZU-606
Output tray	0T-503
Key pad	KP-101
Working table	WT-506
Upright panel	WT-509
Fax board	FK-511
Keyboard holder	KH-102
USB keyboard connection	EK-604
USB keyboard connection, Bluetooth	EK-605
Biometric authentication	AU-102
Security kit	SC-508
Banner tray	BT-C1e
i-Option licence Web browser	LK-101v3
i-Option licence PDF/A,	LK-102v3
PDF encryption, digital signature	
i-Option licence searchable PDF	LK-105v3
and PPTX	
i-Option licence printing barcode fonts	LK-106
i-Option licence printing of	LK-107
Unicode fonts	
i-Option licence printing of OCR	LK-108
(A and B) fonts	
i-Option licence generates various	LK-110
file formats, incl. DOCX and XLSX	
i-Option licence native ThinPrint client	LK-111
i-Option memory	UK-204
Wireless LAN	SX-600

07/2013

<sup>-</sup> All specifications refer to A4-size paper of 80 gsm quality.

<sup>-</sup> The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations - The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4).

The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.

Some of the product illustrations contain optional accessories.

Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
 Konica Minolta does not warrant that any prices or specifications mentioned will be error-free.

<sup>-</sup> All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.