

# bizhub PRO 1052

# B/W SRA3+ digital press Up to 6,300 pages per hour

The bizhub PRO 1052 incorporates a thoroughly proven and sturdy design, delivering high performance both in terms of volume – it can produce 105 A4 pages per minute – and quality. As an operator, you profit from a variety of inline finishing options and place advanced Konica Minolta technologies at your fingertips to enhance black & white print quality. The bizhub PRO 1052's compelling range of benefits will enable your economic growth from digital printing.





### DATASHEET bizhub PRO 1052

# **YOUR ADVANTAGES WITH** bizhub PRO 1052

# Long-life platform, long-lasting parts and consumables Accurate duplex registration Belt transfer system For prints with maximum efficiency For lucrative short-run printing **DURABLE PERFORMANCE** Up to 105 A4 pages per minute Up to 57 SRA3 pages per minute Up to 6,300 A4 pages per hour Up to 3,420 SRA3 pages per hour

**HIGHEST RELIABILITY** 

#### **READY-MADE PRINT PRODUCTS**

- 100-sheet stapling with cutting mechanism
- For highest automation and enormous productivity For more profit in the printroom



#### **GEARED-UP FINISHING**

Letter fold-in Stacking of up to 4,200 sheets Minimised human interaction For optimised budgets

**ENVIRONMENTAL AWARENESS** 

- Green procurement policy Reduced CO<sub>2</sub> emissions ISO 14001-certified For reduced environmental impact Improved efficiency based on green values

### DATASHEET bizhub PRO 1052



#### SOPHISTICATED MEDIA HANDLING

- Air-suction or air-assist feeding technology Up to 9,000-sheet paper input
- capacity Up to 5 paper input trays For enhanced overall productivity For extreme cost savings

#### PERFECT IMAGE QUALITY

- 1,200 x 1,200 dpi resolution Tone Curve Utility Simitri<sup>®</sup> HD toner technology Image density control technology For new print applications For growing your business

Simitri HD High Definition Polymerised Toner

#### COMPREHENSIVE MEDIA PROCESSING

- Up to 350 gsm paper weight in simplex & 300 gsm duplex printing Skew Detection System to prevent
- paper skew Professional feeding of coated media And envelopes Mechanical decurling as standard For highly flexible print products Stands out from the competition

### DATASHEET bizhub PRO 1052

## Recommended configurations



# Technical specifications

#### SYSTEM SPECIFICATIONS

Resolution	1,200 x 1,200 dpi
Paper weight	40-350 gsm
Duplex unit	Non-stack type; 40–300 gsm
Paper sizes	Min.: 95 x 139 mm
	Max.: 324 x 483 mm (with PF-703)
Maximum image area	314 x 483 mm (with PF-703)
Paper input capacity	Standard: 3,000 sheets
	Max.: 9,000 sheets
Paper output capacity	Max.: 4,200 sheets
Main unit dimensions (W x D x H)	990 x 910 x 1,454 mm
Main unit weight	375 kg

#### PRODUCTIVITY

A4 - max. per minute	105 ppm	
A3 - max. per minute	60 ppm	
SRA3 - max. per minute	57 ppm	
A4 - Max. per hour	6,300 pph	
A3 - Max. per hour	3,600 pph	
SRA3 - Max. per hour	3,420 pph	

#### CONTROLLER

**Embedded Konica Minolta controller** 

#### SCANNER SPECIFICATIONS

Scan speed A4	Up to 105 opm
Scan resolution	1,200 x 1,200 dpi
Scan modes	TWAIN scan; Scan-to-HDD; Scan-to-FTP;
	Scan-to-SMB; Scan-to-eMail
Scan formats	PDF; TIFF; secured PDF; XPS

#### COPIER SPECIFICATIONS

Gradations	256 gradations
FCOT	Less than 2.8 sec. (A4 LEF)
Magnification	25-400%, in 0,1% steps
Mutliple copies	1-9,999

#### ACCESSORIES

Air assist paper feed unit	PF-706
Pre-printed paper feed kit for PF-706	PP-701
Air suction paper feed unit	PF-703
Heating unit for PF-707	HT-505
Relay unit	RU-510
Stapling unit	FS-532
Saddle stitch kit for FS-532	SD-510
Punch kit for FS-532	PK-522
Post inserter for FS-532	PI-502
Envelop fuser	EF-102
Removable HDD Kit	RH-101 & HD-511

- All specifications refer to A4-size paper of 80 gsm quality.

All specifications refer to A4-size paper of so gsm quarity.
 The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
 The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4).
 The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
 Some of the product illustrations contain optional accessories.

Specifications and accessionical reproduct must accessible at the time of printing and are subject to change without notice. Konica Minolta does not warrant that any prices or specifications mentioned will be error-free. \_

- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.