



KONICA MINOLTA

# bizhub PRESS 2250P

- ✓ Black & white SRA3+ digital press
- ✓ Up to 14,856 A4 pages per hour

There are many opportunities in the market that you can exploit to make your business grow satisfactorily. Konica Minolta systems provide graphic communications providers, print-for-pay services and central in-house printing facilities with the platform needed to make sure you never have to say no to a business opportunity. Make sure you profit from the dual-engine technology for ultimate performance with highest print quality offered by the bizhub PRESS 2250P. Like so many others, you can also rely on its smooth, faultless and undisturbed production with no bottlenecks or shutdowns. Boost your turnover and ROI thanks to highest throughput and top productivity with up to 14,856 A4 images per hour. Success is just a Konica Minolta bizhub PRESS 2250P away.



**bizhub PRESS 2250P** 

**B/W PRODUCTION PRINTING SYSTEM**

# YOUR ADVANTAGES WITH bizhub PRESS 2250P

## DURABLE PERFORMANCE

- Up to 250 A4 pages per minute duplex
- Up to 132 SRA3 pages per minute duplex
- Up to 14,856 A4 images per hour duplex
- Up to 7,840 SRA3 images per hour duplex

## HIGHEST RELIABILITY

- Long-life platform, long-lasting parts and consumables
- Independent front-to-back alignment/distortion adjustment function for accurate duplex registration
- Belt transfer system
- For prints with maximum efficiency
- For lucrative duplex printing

## READY-MADE PRINT PRODUCTS

- 50-sheet booklet making with front trimming
- 102-sheet auto ring binding
- Perfect binding for books of up to 30 mm
- 100-sheet stapling with cutting mechanism
- For highest automation and enormous productivity
- For more profit in the printroom



## GEARED-UP FINISHING

- Multi (GBC) punching and 2- & 4-hole punching
- 6 different types of folding
- Large stacking
- Interface for 3rd parties
- Minimised human interaction
- For optimised budgets



## ENVIRONMENTAL AWARENESS

- CSR procurement policy
- Reduced CO<sub>2</sub> emissions
- ISO 14001-certified
- For reduced environmental impact
- Improved efficiency based on green values



#### EASE OF USE

- Automated real-time engine calibration
- Simple paper catalogue settings and easy instructions
- Operator Replaceable Unit Management (ORUM)
- For maximum ease of operation
- Frees operators for more important jobs

#### SOPHISTICATED MEDIA HANDLING

- Air-suction or air-assist feeding technology
- Up to 18,000-sheet paper input capacity or 14,000-sheet paper input and 5,000-sheet post insertion
- Up to 11 paper input trays
- For enhanced overall productivity
- For extreme cost savings

#### HIGH-END PRINT CONTROL

- Proprietary Konica Minolta controller
- Integration into Fiery workflows via Fiery Central Solo
- For intuitive operation
- Saves time and money



#### PERFECT IMAGE QUALITY

- 1,200 x 1,200 dpi resolution
- Dual-engine technology
- Simitri® HD toner technology
- Image density adjustment technology for both engines
- For new print applications
- For growing your business

#### COMPREHENSIVE MEDIA PROCESSING

- Up to 350 gsm paper weight in simplex and duplex printing
- Skew Detection System to prevent paper skew
- Professional feeding of coated media
- Mechanical decurling as standard
- Optional inter-cooler curl eliminator
- For highly flexible print products
- Stands out from the competition

**Simitri HD**  
High Definition Polymerised Toner

## Recommended configurations



## Technical specifications

### SYSTEM SPECIFICATIONS

<b>Resolution</b>	1,200 x 1,200 dpi
<b>Paper weight</b>	40–350gsm
<b>Paper sizes</b>	Min.: 95 x 139 mm Max.: 324 x 483 mm (with PF-703)
<b>Maximum image area</b>	314 x 483 mm (with PF-703)
<b>Paper input capacity</b>	Standard: 3,000 sheets Max.: 18,000 sheets
<b>Paper output capacity</b>	Max.: 15,000 sheets (plus sub trays)
<b>Main unit dimensions (W x D x H)</b>	3,500 x 910 x 1,454 mm (Mainbody 1 + RU-510 + TD-501 + Mainbody 2 + RU-509 + RU-510)
<b>Main unit weight</b>	890 kg

### PRODUCTIVITY

#### Duplex

<b>A4 - max. per minute</b>	250 ipm
<b>A3 - max. per minute</b>	140 ipm
<b>SRA3 - max. per minute</b>	132 ipm
<b>A4 - max. per hour</b>	14,856 iph
<b>A3 - max. per hour</b>	8,310 iph
<b>SRA3 - max. per hour</b>	7,840 iph

#### Simplex

<b>A4 - max. per minute</b>	125 ppm
<b>A3 - max. per minute</b>	70 ppm
<b>SRA3 - max. per minute</b>	66 ppm
<b>A4 - max. per hour</b>	7,500 pph
<b>A3 - max. per hour</b>	4,200 pph
<b>SRA3 - max. per hour</b>	3,960 pph

### CONTROLLER

Embedded Konica Minolta controller

### ACCESSORIES

<b>Air assist paper feed unit</b>	PF-706
<b>Pre-printed paper feed kit for PF-706</b>	PP-701
<b>Air suction paper feed unit</b>	PF-703
<b>Heating unit for PF-703</b>	HT-505
<b>Post insertion unit</b>	PI-PFU
<b>Relay unit</b>	RU-509
<b>Humidification unit</b>	HM-102
<b>Tandem relay unit</b>	TD-501
<b>Multi (GBC) punching unit</b>	GP-501
<b>Relay unit</b>	RU-510
<b>Auto ring binding unit</b>	GP-502
<b>Folding and punching unit</b>	FD-503
<b>Stacking unit</b>	LS-505
<b>Booklet making unit</b>	SD-506
<b>Perfect binding unit</b>	PB-503
<b>Stapling unit</b>	FS-532
<b>Punch kit for FS-532</b>	PK-522
<b>Mount kit for 3rd party</b>	MK-737
<b>Removable HDD kit</b>	RH-101 + HD-511

- All specifications refer to A4-size paper of 80 gsm quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of A4).
- The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
- Specifications and accessories are based on the information available at the time of printing and are subject to change without notice.
- Konica Minolta does not warrant that any prices or specifications mentioned will be error-free.
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.